

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6567929".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:33
L2	213	non adj multicast\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:36
L3	59	2 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:42
L4	57	3 and (id\$1 or identifier\$1 or address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:47
L5	22	4 and unicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:57
L6	245991	(listen\$3 or monitor\$3 or check\$3) near4 (signal\$1 or request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:11
L7	26	6 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:42
L8	8	7 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:11
L9	0	"6088333".pn. and unicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:59
L10	1875	virtual near2 (router\$1 or bridge\$1 or gateway\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:00

L11	1529	virtual adj3 (router\$1 or bridge\$1 or gateway\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:00
L12	1505	unicast\$1 near3 (address\$2 or identifier\$1 or id\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:00
L13	6	12 and 11 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:01
L14	219	12 and 6 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:02
L15	70	14 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:06
L16	368	unicast\$3 with (join\$3 or member\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:06
L17	196	multicast adj content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:07
L18	20	17 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:07
L19	5	18 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:07
L20	249356	(listen\$3 or monitor\$3 or check\$3) near4 (signal\$1 or request\$1 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:11

L21	210	igmp and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:11
L22	14	21 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:11
L23	5	22 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:19
L24	2	12 and 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:13
L25	154	quer\$3 with igmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:14
L26	43	25 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:15
L27	23	26 and unicast\$3 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:13
L28	406	(quer\$3 or messag\$2) near5 igmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:18
L29	196	28 and unicast\$3 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:15
L30	44	29 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:15

L31	8	unicast\$3 with((quer\$3 or messag\$2) near5 igmp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:19
L32	2	31 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 16:19
S1	1	vmcrp and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 15:59
S2	310	(virtual or logical) adj3 multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:34
S3	7	S2 and (content adj server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:36
S4	47	(non adj multicast\$3) near3 network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:47
S5	4	digital5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:57
S6	7	igmp and multicast\$3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:00
S7	1915	mai.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:02
S8	6	S7 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:03

S9	1882	replicat\$4 near5 (packet\$1 or frame\$1 or stream\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:04
S10	1132	unicast\$3 near3 (id or identifier\$1 or address\$2 or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:04
S11	1	S10 and S9 and igmp and rtt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:05
S12	32	S10 and S9 and igmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:05
S13	13	S12 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:37
S14	13	S13 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:06
S15	12	S14 and table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:13
S16	2119	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:13
S17	1291	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:14
S18	2846	709/231-235.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:14

S19	6017	709/217-219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:14
S20	11	(S19 or S18 or S17 or S16) and S9 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:15
S21	1	(khanh adj2 mai).inv. or (tom adj2 grimes).inv. or (roland adj3 noll).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:10
S22	12	((("6611872") or ("6785704") or ("6741575") or ("5331637") or ("6185210") or ("6226686")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:11
S23	8	S22 and table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:12
S24	5	S22 and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:14
S25	9	S22 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:14
S26	408702	(virtual or logical) neawr3 multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:15
S27	9	S26 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:14
S28	684	(virtual or logical) near3 multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:15

S29	2	S28 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:16
S30	202	non adj multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:16
S31	40	S30 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:19
S32	5	S31 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:45
S33	7	S22 and unicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 16:21
S34	35	(logical or virtual) with igmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:53
S35	137	quer\$3 with igmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:51
S36	12	S34 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:53
S37	9	S36 and unicast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:52
S38	0	S37 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:53

S39	76	(logical or virtual) same igmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:53
S40	21	S39 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:53
S41	4	S40 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:05
S42	1392	unicast\$3 near3 (address\$2 or id\$1 or identifier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:59
S43	23	S42 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:56
S44	12	S43 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:59
S45	12	S44 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:57
S46	12	S45 and table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:57
S47	12	S46 and igmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:57
S48	10	S47 and quer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:59

S49	208	(unicast\$3 near3 (address\$2 or id\$1 or identifier\$1)) with table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:59
S50	14	S49 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 14:59
S51	3	S50 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:17
S52	698	(virtual or logical) near3 multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:05
S53	502	unicast\$1 near2 network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:05
S54	38	S53 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:05
S55	20	S54 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:15
S56	2	"6741575".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:15
S57	1	S56 and unicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:16
S58	4	((logical or virtual) adj multicast\$3) near4 request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:17

S59	204	non adj multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:17
S60	41	S59 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:17
S61	5	S60 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:36
S62	8778	370/329.ccls. or 370/392.ccls. or 370/401.ccls. or 370/390.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:19
S63	3406	709/238-244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:19
S64	33	S63 and (multicast\$3 same unicast\$3 same (virtual or logical))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:20
S65	15	S64 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:36
S66	52	unicast\$3 near3 subnet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:36
S67	20	S66 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:36
S68	1	S67 and igmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:37

S69	1	S68 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:37
S70	1	S69 and unicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 17:29
S71	2	"6665395".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 17:29
S72	14	((("6463445") or ("6157929") or ("6317795") or ("6016158") or ("5996015") or ("5918013") or ("6407680"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:46
S73	25	((("5,854,897") or ("6,463,468") or ("6,516,338") or ("6,151,634") or ("6,615,251") or ("6,449,653") or ("6,671,736") or ("5,933,811") or ("6,643,692") or ("5,956,716") or ("6,463,445") or ("6,317,795") or ("5,996,015"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:49
S74	18	((("6,546,427") or ("6,564,380") or ("6,654,757") or ("6,647,425") or ("6,460,036") or ("6,002,393") or ("5,661,516") or ("6,173,328") or ("6,275,471"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:51
S75	13	((("6,317,795") or ("5,956,716") or ("6,477,508") or ("20020010623") or ("6,195,649") or ("6,449,344"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:52
S76	29	((("6,353,929") or ("5,646,675") or ("6,463,585") or ("5,319,453") or ("5,792,615") or ("5,269,361") or ("5,216,515") or ("5,826,165") or ("5,636,346") or ("5,526,575") or ("3,112,192") or ("3,810,527") or ("5,523,854"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:53
S77	11	((("5,740,549") or ("6,401,242") or ("6,237,145") or ("6,002,393") or ("5,247,047") or ("6,611,862") or ("6.397.057"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:53

S78	4	(S72 or S73 or S74 or S75 or S76 or S77) and isci	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:06
S79	245678	(advertisement\$1 or advertising or ads or ad or banner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:31
S80	166790	(advertisement\$1 or advertising or ads or ad or banner) same (password \$1 or encrypt\$4 or authoriz\$9 or authenticat\$4 or register or registrat\$5 or login or logon or (log adj in) or (log adj on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:21
S81	245678	(advertisement\$1 or advertising or ads or ad or banner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:30
S82	7718	(password or encryption or encrypt or encrypting or encrypted or authorization or authorize or authorized or authorizing or authenticate or authentication or authenticated or (log adj in) or (log adj on) or login or logon or registration or registering) same S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:30
S83	5581	S82 and (host or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:30
S84	31763	(advertisement\$1 or advertising or ads or ad or banner) same (subscriber or client or user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:31
S85	3979	S84 same S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:31
S86	22914	(stream\$3 or media or audio or video or multimedia) same S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:32

S87	257	header same S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:32
S88	40	S87 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:32
S89	40	rlad<"20000112" and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:32
S90	7	@ad<"20000112" and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:19
S91	3	isci same header\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:33
S92	60706	(packet\$1 or header\$1 or payload\$1)same (source or destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:34
S93	10	S92 and isci	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:37
S94	33684	host\$1 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:37
S95	10814	production adj facilit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:37
S96	3	S95 and S94 and isci	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:41

S97	9	"6353929"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:50
S98	314463	(conversion or convert\$3) near3 digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:51
S99	314830	(conversion or convert\$3 or transcod\$3) near3 digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:51
S10 0	7231	(conversion or convert\$3 or transcod\$3) near3 digital with stream\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:12
S10 1	53	S100 same S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:51
S10 2	25	@ad<"20000112" and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:54
S10 3	6026	radio same S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:54
S10 4	721	S103 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:54
S10 5	4	S95 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:08
S10 6	1	S72 and (email or (electronic adj messag\$3) or (electronic adj mail) or (e adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:08

S10 7	8	(conversion or convert\$3 or transcod\$3) and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:18
S10 8	55	((("6,226,618") or ("6,345,256") or ("6, 389,538") or ("6,587,837") or ("6,611, 812") or ("6,697,997") or ("6,801, 999") or ("6,829,368") or ("6,865, 677") or ("6,263,313") or ("6,389, 403") or ("6,574,609") or ("6,611, 607") or ("6,618,484") or ("6,735, 699") or ("6,807,534") or ("6,834, 110") or ("6,876,984") or ("20010026618") or ("20010051996") or ("20030012403") or ("20030167173") or ("20030202661") or ("20040010694") or ("20040078575") or ("20010031066") or ("20030002673") or ("20030021441") or ("20030174861") or ("20040008864") or ("20040073916") or ("20050058319"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:18
S10 9	0	S108 and isci	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:18
S11 0	24	(conversion or convert\$3 or transcod\$3) and S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:19
S11 1	26	@ad<"20000112" and S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:19
S11 2	10	(conversion or convert\$3 or transcod\$3) and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:21
S11 3	9	S112 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:00

S11 4	15	(delet\$4 or remov\$3) near3 tag\$1 with hypertext	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:10
S11 5	3901	709/225.ccls. or 709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:10
S11 6	41331	access near3 (control or permission) with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:11
S11 7	191	access near3 (control or permission) with (data or information) with (html or url or hypertext or https or (http adj s))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:11
S11 8	218	access near3 (control or permission or field or value) with (data or information) with (html or url or hypertext or https or (http adj s))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:12
S11 9	3	(delet\$4 or remov\$) with access near3 (control or permission or field or value) with (data or information) with (html or url or hypertext or https or (http adj s))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:14
S12 0	6	(delet\$4 or remov\$) with access near3 (control or permission or field or value) with (data or information) with ((web adj document) or (web adj page) or webpage or html or url or hypertext or https or (http adj s))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:16
S12 1	12	(delet\$4 or remov\$) with access near3 (control or permission or field or value) with (data or information) with ((web adj document) or link or (web adj page) or webpage or html or url or hypertext or https or (http adj s))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:16
S12 2	12	(delet\$4 or remov\$) with (permission or access) near3 (control or permission or field or value) with (data or information) with ((web adj document) or link or (web adj page) or webpage or html or url or hypertext or https or (http adj s))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:26

S12 3	390	encrypt\$4 near3 (url or hypertext or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:27
S12 4	351	S123 and (key\$1 or public or private)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:27
S12 5	258	(public or private) near3 (key or signature) with (removal or delet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:28
S12 6	0	S125 and S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:27
S12 7	146	S125 and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:28
S12 8	60	S127 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:33
S12 9	0	(public or private) near3 (key or signature) with (removal or delet\$4) with (hypertext or url or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:29
S13 0	17	(key or signature) with (removal or delet\$4) with (hypertext or url or html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:32
S13 1	83	S123 and @ad<"20001101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 19:44
S13 2	2	"6665395".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 19:44

S13 3	4	vaughn.xa. and perkins	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 11:41
S13 4	0	vaughn.xa. and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 11:41
S13 5	0	vaughn.xp. and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 11:41
S13 6	3	geckil.xp. and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 11:42
S13 7	5	harrell.xp. and bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:11
S13 8	40	virtual adj multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 14:52
S13 9	12	S138 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 14:52
S14 0	8	unicast\$3 and S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 14:49
S14 1	35	(logical or virtual) with igmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 14:52
S14 2	14	S141 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:55

S14 3	9	S142 and quer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 14:56
S14 4	1	vmcrp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:33
S14 5	9	S143 and table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:54
S14 6	15	((logical or virtual) near4 table) with unicast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 15:55
S14 7	11	S146 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:08
S14 8	20	((("6483832") or ("6523069") or ("6457059") or ("6611872") or ("6741575") or ("6185210") or ("5331637") or ("5844887") or ("6785704") or ("6226686")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:00
S14 9	6662	multicast\$3 near5 (content or data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:01
S15 0	1	S148 and S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:00
S15 1	13	S148 and S149	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:00
S15 2	9285	multicast\$3 near7 (content or data or information or packet or cell or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:05

S15 3	627	unicast adj address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:06
S15 4	434	S152 and S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:07
S15 5	143	S154 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:09
S15 6	99	igmp and S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:08
S15 7	69	(virtual or logical) and S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:09
S15 8	22	S157 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/18 16:09
S15 9	44	virtual adj multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:01
S16 0	11	S159 and @ad<"20000624"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:04
S16 1	7	S160 and unicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:05
S16 2	6	S161 and request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:38

S16 3	21	((("6457059") or ("6523069") or ("6483832") or ("6226686") or ("6785704") or ("5331637") or ("6185210") or ("6741575") or ("6611872") or ("6914907"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:39
S16 4	10	S163 and unicast\$3 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:44
S16 5	358	multicast adj request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:45
S16 6	383	multicast\$1 adj request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:45
S16 7	23	S166 and (unicast\$1 adj address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:45
S16 8	1457	multicast\$1 near2 request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:45
S16 9	89	S168 and (unicast\$1 adj address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:45
S17 0	31	S169 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:47
S17 1	461	unicast\$1 near3 request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:47
S17 2	190	S171 and S168	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:47

S17 3	35	S172 and @ad<"20000629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 11:49
S17 4	31	S173 and address\$2 and unicast\$1 and multicast\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:34
S17 5	1	S159 and S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:38
S17 6	1	rtt and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:39
S17 7	1	S176 and unicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:41
S17 8	2	virtual adj multicast\$1 adj request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:41
S17 9	5	virtual adj multicast\$1 with request\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:42
S18 0	133	quer\$3 and S171	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 12:42
S18 1	120	S180 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 14:22